

**SYLGARD OFX-0309 Fluid**

Silicone Surfactant

Liquid

COMMERCIAL

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Siloxylated Polyether 80%

Surfactant Mixture 20%

REGISTRATION NO. 23078 PEST CONTROL PRODUCTS ACT

CAUTION



POISON

Net Contents 250ml to 10 LITRES

Dow Chemical Canada ULC

215 – 2<sup>nd</sup> Street SW,

Suite 2400

Calgary, AB

T2P 1M4

Tel: (800) 258-2436

For Grower Information Contact: Norac Concepts Inc. at 1-519-821-3633

## PRECAUTIONS:

- KEEP OUT OF THE REACH OF CHILDREN

- Avoid contact with skin, eyes and clothing. Wash hands and face with soap and water after using.
- Harmful if ingested.
- Do not contaminate water, food and feed.
- Store separately from these items.
- Wear safety glasses and rubber gloves when using or handling this product.

## FIRST AID:

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention.

**STORAGE:** Do not store at temperatures above 50°C. Do not store below 5°C. Keep container tightly closed when not in use.

## TOXICOLOGICAL INFORMATION:

No specific antidote. Employ supportive care. Treatment should be based on judgement of the physician in response to reactions of the patient. For further information consult the Material Safety Data Sheet.

**DISPOSAL:** Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site: 1. Triple-or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

## GENERAL INFORMATION

**SYLGARD OFX-0309 Fluid** Silicone Surfactant has been designed to enhance the efficacy of water soluble post-emergent herbicides. Spray solutions tank mixed with **SYLGARD OFX-0309 Fluid** will completely wet leaf surface. **SYLGARD OFX-0309 Fluid** has also been shown to increase the amount and speed of uptake of water-soluble herbicides. This results in more consistent weed control. Enhanced herbicidal efficacy has been most evident on broadleaf and woody brush weed species.

### **SYLGARD OFX-0309**

**Fluid** has been shown to be less effective for enhancing performance on perennial grass weed species.

## DIRECTIONS FOR USE

Add **SYLGARD OFX-0309 Fluid** to the spray tank at the rate of 0.25% by volume (250 mL per 100 Litres of water) unless otherwise stated. If maximum rainfastness is desired increase the rate to 0.375% v/v (375 mL per 100 Litres of water). **SYLGARD OFX-0309 Fluid** should be added last after the pest control product is thoroughly mixed. Agitate to thoroughly mix the water, **SYLGARD OFX-0309 Fluid** and the pest control product.

**SYLGARD OFX-0309 Fluid** may be combined with the following pest control products: 1) Basagran® on soybeans for annual broadleaf weed control. 2) Pursuit® on soybeans for annual broadleaf and grass weed control. 3) Classic 25DF+ Assure II on soybeans for annual broadleaf and grass weed control. 4) Elim EP Herbicide 25% Dry Flowable + Dual II Magnum + Banvel II or Banvel Dry on fieldcorn for annual broadleaf and grass weed control. 5) Roundup® for control of quackgrass and annual broadleaf weeds preplanting, post harvest and in summerfallow. Also, for control of annual and perennial weeds in non-crop areas such as railway, pipeline, highway, power and telephone lineright-of-way, petroleum tank farms and pumping installations, roadsides, storage areas, lumberyards, fence rows, industrial plant sites, parking areas, school yards and airports.

**SYLGARD OFX-0309 Fluid** may also be used with other glyphosate products such as Vision®, , Renegade®, and Glyfos® if the herbicide labels carry use directions for these use sites. 6) Tordon® 101 for control of unwanted brush and broadleaf weeds on rightsof-ways. 7) FORESTRY AND WOODLOT MANAGEMENT, Site Preparation:

**SYLGARD OFX-0309 Fluid** may be applied in combination with Vision® herbicide for ground and aerial application in areas being prepared for replanting with seedlings. Refer to the Vision Herbicide label for glyphosate rate information. AIRCRAFT

APPLICATION: Apply at a rate of 0.25% by volume (250 mL/100 litres of water).

Follow the Directions and Precautions on the Vision Herbicide label to ensure the proper aerial application in a site preparation program. Use only for applications listed on the Vision Herbicide label. Refer to the Vision Herbicide label for the rates of glyphosate and water. DO NOT USE **SYLGARD OFX-0309 Fluid** IN CONIFER RELEASE PROGRAMS OR ON CHRISTMAS TREE PLANTATIONS. Its use in these situations could result in damage to desirable species. 8) Retain® Plant Growth Regulator. Add **SYLGARD OFX-0309 Fluid** at the rate of 0.05-0.1% by volume to improve spray coverage and enhance absorption.

**SYLGARD OFX-0309 Fluid TANK MIXES WITH ENHANCE Non-ionic sprayadjuvant**

**SYLGARD OFX-0309 Fluid** may be tank mixed with Enhance and applied onto corn and soybeans. For recommended tank mixes refer to the table that follows.

| Tank Mix  | Weeds controlled                         | Crop       | Rate of SYLGARD          |
|---|--|------------|--------------------------|
|   |  |            | OFX-0309 Fluid + Enhance |
| Elim EP Herbicide 25% Dry Flowable + Dual II Magnum + Banvel II or Banvel Dry | Annual broadleaf and grass weed control. | field corn | 0.05% v/v + 0.125 % v/v  |
| Classic 25DF + Assure II  | Annual broadleaf and grass weed control. | soybeans   | 0.05% v/v + 0.125 % v/v  |

Follow all instructions on rates and precautions included on the pest control product labels, as they may be stricter than those required for **SYLGARD OFX-0309 Fluid**.

**SYLGARD OFX-0309 Fluid** is a registered trademark of Dow Silicones Corporation. Other products are trademarks or registered trademarks of the respective companies.